Figures

Document Control Desk


130
Attribute Store
Name | Type | Value | Scope
UserName | string | JohnDoe | session
Password | string | 123 | session
Permission | int | Admin | session
AppName | string | Asset Catalog | app
assetID | string | F61B2 | interact-
assetPrice | int | 500,000 | interact-
100 Application "Asset Catalog"
101 log in
102 do-login
main-menu
103
viewasset
104
create-asset
105
do-create-asset
106
modify-asset
107
do-modify asset
108
121
app-ctx
122
begin-tx
Command
123
compose-asset
124
store-object
125
end-tx
1-6 view
view-asset

Fig 1



Fig 2

5656459v.1 05400.0004

Docket No. 05-0502



Fig 3



Fig 1

Docket No. 50277-1001



Fig 5

09582609.0430201



Fig 6

Docket No. 50277-0001


Client 1
01
02
Internet
Client N
01
103
Controller
05
Attribute Stores
06
04
Server Engine
07
Application DB
08
Class DB
09
View DB

Fig 7



Fig 8

Doc3450N0.1.pdf



Fig 9

Exhibit 2005



Fig 10

Sheet 5 of 5 Attorney Docket



Fig 11

09804609 - 040802


process command
01
Exception && !FINALLY
Y
Return
N
02
get default translator
03
instantiate command bean
04
init command bean
05
invoke translator to prepare command bean
06
validate command bean
07
perform command bean
08
invoke translator to extract command bean
Return

Fig 12

0 6 5 4 5 6 5 - 0 4 5 0 0 1



Fig 13



Fig 14

Docket No. 1000.1


Translator::
prepare
01
retrieve
class info
02
get next
method
03
all methods
already
retrieved
Y
Return
N
04
Set
N
Y
05
set Method

Fig 15



Fig16

10/550,150 - 09/30/2005

DRAFT - 05/15/02



Fig 17



Fig 18

DOCKET - 0 5 0 8 0 1